# You can stop looking...

## Crested Seriema

Seriemas are the sole survivors of a group of giant ground dwelling predatory birds that inhabited South America more than 25 million years ago. The two present day species, related to the bustard family, are found only in the dry scrub grasslands between the Amazon rainforest and the pampas of Argentina.

# Here it is...

The Complete Venhart DISPENSER GUIDE













## Venhart Hand Held Dispensers TEARDROP

anhar! teardop hand dispensers split in half for loading (except VH104). All have toothed blade.



Strong plastic with metal breech load roll holder and tempered coarse blade. Screw-down bench base plate included. Weight without base plate 305g. Suitable tapes PP and PVC up to 38mm wide and 130mm O.D. on 76mm core.

### VH10B

white with tempered medium blade, hand squeeze brake and tape view hole. Weight 410g. Suitable tapes FILAMENT, PP and PVC up to 25mm wide and 140mm O.D. on 76mm core. Also VH15B for 38mm wide tapes. Weight 505a.

## VH118

Plastic with fine blade, angled to improve control. Cut-away casing is lightweight and easier to open. Suitable tapes LITHO, PP and PVC. Sizes to suit tapes 25, 38 and 50mm wide and 130mm O.D. on 76mm core, Weight (25mm)

### VHL15

Smooth finish fits the hand comfortably. Lightweight plastic with tempered fine blade. Suitable tapes PP and PVC up to 38mm wide and 140mm O.D. on 76mm core. Weight 175g.

PISTOL GRIP All with plastic smoothing flap, plastic hand grip and toothed blade.

## VH15D Deluxe

Metal with tape view hole and medium blade. Weight 405g. Suitable tapes PP and PVC up to 38mm wide and 120mm O.D. on 76mm core. Also VH15 Standard, VH25 Standard and VH25D Deluxe for 50mm wide tapes, VH10 Standard and VH10D Deluxe for 25mm

## VHP25

Similar to VH25D (left) but with tempered fine blade and big enough for PAPER, PP and PVC tapes up to 50mm wide and 140mm O.D on 76mm core. Weight 570g. Also VHP10 for 25mm wide tapes and VHP15 for 38mm wide tapes.



## VH102B

Metal with plastic spool, contoured hand grip, tempered medium blade and adjustable brake. Takes tapes up to 50mm wide and 140mm O.D. on 76mm core. Weight 800g, Also VH102 without brake

## VH102AB

Lightweight economy model with adjustable brake, metal frame, plastic spool and medium blade. Takes rolls up to 50mm wide and 140mm O.D. on 76mm core. Weight 335g.

## VH1021

Extra space between spool and blade accomodates rolls with an outer diameter up to 180mm. Strong metal frame, plastic spool, contoured hand grip and tempered medium blade. Takes tapes up to 50mm wide on 76mm core. Weight 625g.

## VH102GA

Our original and still the most popular. Takes tape up to 50mm wide and 120mm O.D. on 76mm core. Metal frame, coarse blade and plastic spool with adjustable brake. Weight 340g. Also VH102GL without brake. Weight 350g.

## VH102GAP

Safety first. This model has a rubber blade protector plus all the popular features of the VH102GA (left) including an adjustable brake. Takes rolls up to 50mm wide and 120mm O.D. on 76mm core. Weight 350g.

## VH102GE

Economy model with adjustable brake, metal frame, plastic spool and course blade. Takes rolls up to 50mm wide and 130mm O.D. on 76mm core. Weight



## VH105

Extended metal frame has two spool positions. Inner position suits rolls up to 120mm O.D. Outer position (pictured) increases capacity to 175mm O.D. Takes tapes up to 50mm wide on 76mm core. Plastic spool with spring spindle is easily removed for tape loading. Medium blade. Weight

VH110

Metal with fine blade and

slide-out plastic tape holder. Suitable tapes FILAMENT

and STRAPPING up to 25mm wide and 180mm

O.D. on 76mm core. Weight

## VH102GN

Low noise. Low cost. Low weight. Metal frame, medium blade. Extra tape guide reduces noise. Spool-less design gives flexibility to take 25mm to 76mm core sizes. Suits tapes up to 50mm wide and 80mm O.D. Weight 320g. Also VH103GNA for tapes up to 75mm wide, weight 510g.

## VH103A

Strong triangular metal frame with contoured hand grip and coarse blade. Plastic spool with spring spindle is easily removed for tape loading. Takes tapes up to 75mm wide and 130mm C.D. on 75mm core. Weight O.D. on 76mm core. Weight

## VH103NX

Spool-less, similar to VH102NX (above) but takes 75mm wide tapes. Low cost, low weight and accepts core sizes from 25mm to 76mm with large 155mm O.D. The roll is held (and braked) by a spring loaded clamp. Metal frame and medium blade. Weight 360g

## **VH103TB**

Premium quality. Our most popular model for tapes to 75mm wide. Takes rolls up to 130mm O.D. on 76mm core. Metal frame, medium blade and plastic spool with adjustable brake. Weight 510g. Also VH103T without brake, 485g, and VH103AB economy model with brake,

## VH104B

Equally high quality to the VH103TB (left) but takes tapes to 100mm wide and 135mm O.D. on 76mm core. Metal frame, contoured hand grip, coarse blade and plastic spool with adjustable brake. Weight 1.02kg. Also VH104G economy model with brake.



All have serrated blade

## VH112

All metal, nickel plated with hand squeeze tensioner, swing-out tape holder and fine blade. Suitable for FILAMENT tapes up to 25mm wide and 150mm O.D. on 76mm core. Weight

## VH115

Metal with tempered fine blade, hand squeeze tensioner and slide-out plastic tape holder. Suitable tapes FILAMENT and STRAPPING up to 25mm

All plastic with swing-out tape holder and tempered fine blade, Suitable tapes FILAMENT and STRAPPING up to 25mm wide and 135mm O.D. on 76mm core. Weight 90g. Also VH12/25 all cast metal for 25mm tapes up to 150mm O.D. Weight 170g.

# MASKING TAPE DISPENSER VH120 CLIP-ON VH14P

VH120 Plastic. Splits for reloading. Takes tape up to 25mm wide and 140mm O.D. on 76mm core. Weight 155g.

VH14P Red plastic with metal cutter. Takes 50mm wide rolls with 76mm core and 120mm O.D. Folds to pocket size.

CLIP-ON Plastic with metal blade for 50mm wide rolls. Attaches to roll with elastic




A. SNAIL WITH INVISIBLE MENDING or single packs 18mm x 33 metres, metres

B. SNAIL, CRYSTAL CLEAR, WITH

C. CRYSTAL CLEAR DISPENSER PI tape and one roll of invisible mending D. MOUNTING TAPE. Double sided 1 metre and 24mm x 1 metre.

E. DOUBLE SIDED TAPE. Nonstaining F. WIPE OUT CORRECTION DISPENS



wide and 125mm O.D. on 76mm core. Weight 255g.

## VH117

# enhart Benchtop and Special Purpose



## VH415NX

Stylish plastic mini. Takes 33 metre tape to 25mm wide and 70mm O.D. on 25mm core. Rubber feet. Weight 625g.

## VH409

Heavyweight mini in sculptured plastic. Takes 33 metre tape to 25mm wide and 65mm O.D. on 25mm core. All-over rubber anti-slip base. Weight 1.3kg.



## VH432

VH431

Plastic log. Takes 33 metre tape to 19mm wide with 60mm O.D and 25mm core. Rubberfeet. Weight 750g.

## VH431

Space-age plastic sphere. Takes 33 metre tape to 19mm wide with 60mm O.D. and 25mm core. Rubber feet. Weight 765g.



Colourful two tone plastic mini, Takes 33 metre tape to 25mm wide and 70mm O.D. on 25mm core, Rubber feet. Weight 460g.



## VH445

Heavy plastic with razor blade and finger safety guards. Takes tape up to 19mm wide and 115mm O.D. Two piece spool suits 25mm and 76mm cores. Rubberfeet Weight 1.16kg.



Colourful two tone plastic. Takes 33 and 66 metre tapes up to 25mm wide and 120mm O.D. Two piece spool suits 25mm and 76mm cores. All-over rubber anti-slip base. Weight 895g.



Elegantly styled in black plastic with two piece spool to suit 76mm and 25mm cores. Takes tapes up to 25mm wide and 120mm O.D. All-over rubber anti-slip base. Weight



A spool-less design means low cost, low weight and versatility to accept core sizes from 25mm to 76mm and up to 130mm O.D. The roll is held (and braked) by a spring loaded clamp. Takes tapes up to 50mm wide. Metal frame, medium blade. Weight 280g.

## VH405

Metal with plastic spools. Takes tapes up to 50mm wide and 170mm O.D. on 76mm cores. Weight 310g. Screws to bench or clips on and off bench-mount baseplate (optional) available for 1, 2, 3 or 4



Metal with plastic

spools. Takes two 25mm or one 50mm wide roll on 76mm core and up to 160mm O.D. Rubber feet. Weight 615g without workbench clamp (included)

Also VH405CL/2B economy model. Weight 590g.



All metal with bench mount screw holes. Metal spindle adjusts easily for rolls up to 100mm wide on 76mm core and maximum 170mm O.D. Weight 985g.



Solid 15mm thick metal base inside plastic casing. Plastic spool and rubber feet. Suits tapes up to 25mm wide and 135mm O.D. on 76mm core. Weight 1.90kg.



Metal with plastic spool. Takes tapes up to 50mm wide and 120mm O.D. on 76mm core. All-over rubber anti-slip base. Weight 1,19kg. Also VH448-2 Twin with two 25mm spools. Weight 1.24kg.



## **VH104E**

Economy model with strong triangular metal frame. Takes tapes up to 100mm wide and 130mm O.D. on 76mm core. Medium blade, contoured hand grip and removable plastic spool with adjustable brake. Spool is secured with spring clip. Weight 1.05kg

## VH410 Twin

Plastic with separate wells for two rolls up to 30mm wide and 120mm O.D. Two piece spools suit 25mm or 76mm cores. Weight 1.97kg.

plastic spool, rubber anti-slip pads and bench mount screw holes. Available for tapes 50. 75, 100 and 150mm wide and up to 150mm O.D on 76mm core. Weights: 1.40, 1.71, 1.94

## VH411/50HD

Heavy 4mm thick metal with Heavy 4mm thick metal with 12mm solid metal base and plastic spool. Takes rolls up to 50mm wide and 140mm O.D. on 76mm core. Rubber anti-slip pads. Weight 2.85kg.

IERY DISPENSERS

BON

## Lithographic

VH412 Twin Heavy 4mm thick metal with plastic spools and serrated blades. Takes 2 rolls 25mm wide and 150mm O.D. on 76mm cores in separate wells. Rubber anti slip base. Weight 2.45kg. Also VH412L with razor blades and four spool models: VH414 with errated blades, 4.10kg and VH414L with razor

## VH414F Quad

Metal with 18mm thick solid metal base and fine toothed blades. Takes four rolls, each up to 25mm wide on separate plastic spools and up to 130mm O.D. on 76mm cores. Rubber feet and bench mount screw holes. Weight 2.85kg.



TAPE. Pack of three 18mm x 12.70 metres 12mm x 12,70 metres and 12mm x 30,48

TRANSPARENT TAPE. 18mm x 24.50

N HOLDER with two rolls of transparent tape, each 18mm x 25.40 metres.

oam with peel-off backing. Sizes 18mm x

G. MINI SNAILS for briefcase, pencil boxes etc. Pack of three, each with m x 7 metre invisible mending tape.

H. VH108C SNAIL with PP tape 15mm wide and 45mm O.D. on 25mm core. Cardboard display pack of 100.

, VH436 DELUXE SNAIL with metal blade. Takes 19mm x 33 metre tape. J. VH107 DIRECT APPLICATION DISPENSER for document repair etc.

to tape release/cut-off. Takes 12mm wide clear tape on 25mm core. K. VH435 SNAIL Takes 19mm wide tape on 25mm core. Yellow, red. green, blue, transparent

L. VH109 SNAIL in 8 colours. Takes 12mm or 19mm wide tape on 25mm core and 45mm 0.D. Display box of 16. Also VH109A with 19mm x 10 metre clear tape.

M. N. POSTSCRIPT. Stick-on memo 60mm x 5 metres with cutter. Allover adhesive. No wastage. Easily removable. Blister packed.

O. MEMOGRAPH. Transparent, removable. For document highlighting or notation without damage. Display box of 6 dispensers 50mm x 10 metres or 8mm x 20 metres.

P. VH429 PLASTIC MINI with metal blade. Takes tape to 19mm wide and 65mm O.D. on 25mm core. Brown, blue, beige, red, green, white, yellow.

O. VH423E TWINE ORGANISER with a markers, paper clips, Plastic, 1.97kg. R. VH426 MEMO ORGANISER. Takes markers, paper clips, Plastic, 2kg.

S. VH427 PEN ORGANISER, Takes 1 T. LETTER OPENER, PEN HOLDER, 18mm x 33 metre tape and two pens

U. VH433 PEN ORGANISER, Takes I markers, paper clips. Plastic, 1.01kg.

with peel-off backing, 18mm x 5 metres, ER with tape 5mm x 6 metres





## VH443 Triple

Metal with plastic spools. Similar to VH448 (left) but has three spools. Takes one roll 75mm wide or three rolls up to 25mm wide and 120mm O.D. on 76mm core. All-over rubber anti-slip base. Weight 1.47kg

## VH400F/2 TWIN

Metal with 18mm thick solid metal base. Has two 25mm wide plastic spools for one roll 50mm wide or two rolls 25mm wide and 160mm O.D. on 76mm core, All-over rubber anti-slip base and bench mount screw holes. Weight 2.55kg.

# DOUBLE SIDED PISTOL GRIP

All have too the deader Sulfable for Valladit double sided tapes – No63 cloth, No64c PP and No60 Tissue Tissue tape recommended minimum widths 19mm for VH1125 and VH1160. 38mm for VH1175.

TRANSFER TAPE

## DISPENSER

VH1175 Heavy duty. Similar to VH1160 (left) but takes tapes up to 50mm wide and 100mm O.D. on 76mm core. Metal with tempered medium blade, spring loaded smoothing flap, plastic spools, cogs and contoured

hand grip. Adjustable tension Weight 905g.

## VH119

Applies adhesive only with no tape medium for mounting photographs and artwork. Releasing the trigger causes precise cutoff. Takes adhesive transfer tape up to 19mm wide and 80mm O.D. on 25mm core. Weight 420g.



Weight 950g.

VH1160

VH1150
Heavy duty, Metal with
medium blade, spring
loaded smoothing flap,
plastic spools, cogs and
contoured hand grip.
Adjustable tension. Takes
tapes up to 25mm wide and
100mm O.D. on 76mm core.
Weight 685g Alex VH1162

Weight 685g. Also VH1162 for 50mm wide tape.

toothed blade. Suitable for *Venfart*, cloth and paper tapes No143 and @# loth, No255B, No255C and No262 carton sealing and No780 masking. No145

## L-CLIP DISPENSER

## VH3000

Holds bottom carton flaps closed for filling. Automatically applies a 40mm length of tape around bottom edges where carton flaps meet. Metal with plastic spool and bench mount screw holes. Uses tapes up to 25mm wide with 120mm O.D. on 76mm core. Weight 4.85kg.

## VH2003

Dispenses any length up to 200mm. Length is set by adjusting the lever arm using the single screw and dial. Has plastic casing and rollers, metal base, medium blade, rubber skids and bench mount screw holes. Takes tapes up to 75mm wide and 190mm O.D. on 76mm core. Weight 4.05kg

## VH2008

VH1125

Economy model. Metal with plastic spools, contoured hand grip and fine serrated blade. For tapes up to 25mm wide and 100mm O.D. on

76mm core. Weight 350g. Also VH1150 for 50mm wide

tapes. Weight 495g.

Dispenses any length up to 100mm. Length is set by adjusting the lever arm using the finger nut. Has plastic casing and metal rollers, metal base, fine blade, rubber skids. Takes tapes up to 25mm wide and 140mm O.D. on 76mm core. Weight 1.43kg.

## VH2006

Dispenses any length up to 220mm. Length is set by loosening and fastening the lever arm adjusting bolts. Has 4mm thick metal casing, metal gears and rollers, medium serrated blade, 18mm thick solid metal base and rubber feet. Takes tapes up to 50mm wide and 200mm O.D. on 76mm core. Weight 5,9kg.

## VH2004

Dispenses any length up to 220mm. Similar construction and operation to the VH2006 (left) but takes tapes up to 100mm wide and 200mm O.D. on 76mm core. Has 4mm thick metal casing, metal gears and rollers, medium serrated blade, 9mm thick solid metal base and rubber feet. Weight

## VH2022 Electric

Dispenses any length up to 1320mm. Length is set by adjusting the dial, Removal of each length of cut tape or each length of cut tabe activates delivery of the next. Has metal and plastic casing, metal rollers, medium toothed blade and rubber feet. Takes tapes up to 75mm wide and 300mm O.D. on 76mm core. Weight 10.01kg.

## WATER ACTIVATED



itter. Takes twine and 25mm tape. Holds

nemo pad and 25mm tape. Holds pens, mm wide tape to 60mm O.D. on 25mm

DISPENSER with safety cutters. Holds Takes four 1.5v size C batteries. Weight

ers, Plastic, 685g.

5mm tage on 25mm core. Holds pens.

## KROLFF

Cast iron with brass and fabric rollers and fine toothed blade. Sizes to suit gum side in tapes up to 40mm, 60mm and 80mm wide and 180mm O.D. Weight 2.03kg (Kroff 60), Also NYPERBA with guillotine cutter for reinforced gum side out tapes to 50mm wide, 1.25kg.

## VH480

Economy model for gum side in tape to 80mm wide and 180mm O.D. Metal with fine toothed blade, fabric covered roller, plastic water trough and rubber feet. Weight 1.60kg.

## VH121

Hand held teardrop. Plastic with see-through water reservoir and medium toothed blade. Takes gum side in tape up to 40mm wide and 125mm O.D. on 76mm core. Weight 200g.

## **UNI 200 B6**

Dispenses lengths from 100mm to 1100mm. Length is set by loosening the finger nut and adjusting the pointer. Releasing the handle cuts the tape, Metal casing with guillotine blade and plastic water tank. Heater optional. Uses gum side in tapes up to 100mm wide and 200mm O.D. Weight 9.35kg.

## **VENTRONIC DTM23**

Two buttons can be pre-set to dispense lengths from 100mm to 1300mm. A third button dispenses tape until released. Plastic with metal cover, solid state circuitry, water feed control, guillotne blade and heater. Uses gum side in tapes up to 100mm wide and 150mm O.D. Weight 14kg.

## Venhart Labelling Products LABEL GLUERS LABEL PROTECTION DISPENSER **GLUEMATIC 190 Electric COLMATIC 180 Electric** VH125 GUMMER VH2300 **DIN TRAYS**

Similar in operation to Colmatic 180 (right) but labels are gravity fed from a vertical guide tray and the rollers can be paused and re-started by pressing and releasing the foot pedal. Takes labels up to 200mm wide. Weight 13.40kg.

Moistens gummed labels as they are hand fed through the turning brass rollers. Gums plain paper labels when Vandard Glue

Concentrate (right) is added to the stainless steel water trough. Takes labels up to 180 mm wide. Weight 6.10kg. Also Colmatic 250 for labels up to 250mm wide. Weight 13.70kg. Moistens gummed labels as they are hand fed through the brass and fabric rollers. Gums plain paper labels when a 50/50 mixture of water and Venture Glue Concentrate (right) is added Concentrate (ngm) is added to the plastic water trough. Available 75mm, 125mm and 200mm wide to suit labels 70mm, 120mm and 195mm. Weight 780g. Shaped to sit against the VH125 Gummer (left) for fast hand feeding. Lipped sides and grit surfaced inner base keep labels neatly stacked. Sizes: 55mm, 75mm, 113mm and 220mm wide to suit labels 50mm, 70mm, 100mm and 200mm wide. All have rubber anti-slip pads.

GLUE CONCENTRATE
For use with the Ventur!
Colmatic 180, Gluematic
190 and VH125 Gummer
(left). Adhesive properties are controlled by the ratio of water to glue concentrate granules, 50:50 is recommended. Available in 1kg flasks, 5kg boxes and 25kg sacks.

Dispenses clear tape, adhesive side up. The label is placed face down leaving a border of adhesive exposed. Covers and protects labels up to 150mm wide (5mm border). Plastic with alignment grid, steel tape clamp and bench mount screw holes, Weight 1.15kg Also VH2460 economy model, Weight 950g.

## SELF ADHESIVE LABEL DISPENSERS



## VH1200

All metal with spool that adjusts easily for rolls up to 50mm wide and 160mm O.D. on 76mm core. Mounts to a bench using the screw holes. Weight 360g.

## VH1205H

Metal spool-less with 18mm thick solid metal base, bench mount screw holes and rubber feet. Total label width up to 50mm and 160mm O.D. Weight 2.60kg. Also VH1205 with bench mount screw holes. Weight 380g. And VH1205A with plastic sides, metal spindle and suction cup feet. 140mm O.D. Weight 325kg.

## VH1212

Heavy cast metal, spool-less. Total label width 70mm. Weight 2.05kg. Also heavy cast metal VH1218, total label width 180mm. Weight 2,40kg. Both have rubber feet, one metal divider and suit rolls up to 200mm O.D.

## VH1204A

Economy model with plastic sides, metal spindle and suction cup feet. Total label width 110mm and up to 140mm O.D. Weight 360g.

## VH1201W

Spool-less with 2 plastic dividers. Total label width 125mm and up to 130mm O.D. Welded metal with enamel finish and rubber anti-slip strips. Weight 1.25kg, Also VH1202W, total label width 185mm and up to 130mm O.D. Weight 1.75kg.

## VH1215L

Metal spool-less. Total label width 150mm and up to 160mm O.D. Screw holes for bench mounting. Weight 550g. Also VH1215A with plastic sides, metal spindle and suction cup feet. Total label width 160mm and up to 140mm O.D. Weight 400g.



## VH1209A

Economy model with plastic sides, metal spindle and suction cup feet. Total label width 250mm and up to 140mm O.D. Weight 485g. Also metal VH1209 with bench mount screw holes. Total label width 265mm and up to 160mm O.D. Weight 660g.

## VH1216H

Metal spool-less with 18mm thick solid metal base, bench mount screw holes and rubber feet. Total label width 150mm and up to 160mm O.D. Weight 3kg.

## VH1220A

Economy model with plastic sides, metal spindle and suction cup feet. Total label width 210mm and up to 140mm O.D. Weight 440g.

## VH1230W

Spool-less with 4 plastic dividers. Total label width 300mm and up to 130mm O.D. Weight 2.25kg. Welded metal with enamelled finish and rubber anti-slip strips. Also VH1230A with plastic sides, metal spindle and suction cup feet. Total label width 315mm and up to 140mm O.D. Weight 525g.

## VHD110N Electric

Removal of each label trips a Hemoval of each label trips a lever that activates delivery of the next. Dispenses self adhesive labels up to 110mm wide and 340mm O.D on 35mm core. Spool O.D. 200mm. Weight 5.05kg. Also VHD150N for labels up to 150mm wide. Weight 5.05kg.

## VHD150NF Electric

Similar to VHDN150 (left) but a photo-electric cell detects removal of each label and activates delivery of the next. Dispenses self adhesive labels up to 150mm wide and 340mm O.D on 35mm core. Spool O.D. 200mm. Weight 5.05kg. Also VHD110NF for labels up to 110mm wide. Weight 5.05kg.

## Venus HAND LABELLERS



## No 10 Single Line Economy model. Prints seven digits, numerals only. Uses labels 10.4mm x 18mm. Weight 290g.

No 26 MkIV Single Line The latest improvements to this lightweight include a smoother dispensing action and easier loading. Fully enclosed label roll is protected from solling. Prints 8 digits, numerals only. Uses labels 13mm x 21mm. Weight 250g.

## No 26A Deluxe Single Prints 8 digits, numerals only. Popular for its smooth

dispensing action and simple one-step ink roller replacement. Uses labels 13mm x 21mm, Weight

## No 60A Two Line

Heavy duty. Prints 10 digits per line; the first line alpha, the second numeric. Easy lever action and simple ink roller replacement. Uses labels 15.42mm x 24mm. Weight 350g.

## No 60B Two Line

Economy model. Prints 10 digits per line at 90 degrees to conventional labellers, The first line is alpha, the second numeric. Improved, easier loading. Uses labels 16mm x 23mm. Weight

## 12 \$7-50 No 10 No 26 23-12-95 MkIV No 26A 6812-00 USE: BY **No 60A** CORE 254 No 60B 82 \$46.00

## LABEL PRINT OUTS All Venus hand labellers

have bands with a large range of symbols, numbers and letters.





Metal heavyweight. With a wide base for stability and a sealing head that accepts a maximum twisted neck diameter of 16mm the VH1900 easily handles big loads. Takes large diameter rolls of PVC tape up to 15mm wide and 200mm O.D on 76mm core. Weight 4.30kg.

## VH1800E

Metal economy model with bag top trimmer. Seals most popular size bags with a maximum twisted neck diameter of 12mm. Uses PVC tape up to 19mm wide and 160mm O.D. on 76mm core. Weight 1.30kg. Also VH1800C Deluxe model. Weight 1.25kg.

## VH4100

Our best seller. High quality metal construction, excellent gloss finish, low cost. Uses PVC tape up to 12mm wide and 150mm O.D. on 76mm core. Maximum twisted neck diameter 8mm. Weight 880g. Also VH4100C with bag top trimmer. Weight 895g. And VH4100B economy model with bag top trimmer. Weight 875g.

#### VH4100SS

Built to the same high standard as the VH4100C (left). Made from stainless steel for sealing bags of moist products - meat, deli goods, fish, Uses PVC tape up to 12mm wide and 150mm O.D. on 76mm core. Maximum twisted neck diameter 8mm. Weight

#### VH4200

Metal mini for sealing smaller bags with a maximum twisted neck diameter of 7mm. Uses PVC tape up to 12mm wide and 150mm O.D. on 76mm core. Weight 660g. Also VH4300 with bag top trimmer. Weight 680g.

BUNDLERS

## VH4400

All plastic. Especially suitable for sealing bags of meat, poultry, dell goods and fish. Uses PVC tape up to 12mm wide and 155mm O.D. on 76mm core. Maximum twisted neck diameter 8mm. Weight 420a.

## **MULTI POSITION**



Clamps to a bench. The spool can be aligned parallel with or at angles oblique to the edge. Metal with metal spool that adjusts easily to suit tapes up to 50mm wide and 200mm O.D. on 76mm core. Weight 290g.



Similar to the VH2600 (left) but takes tapes up to 25mm wide and 200mm O.D. on 76mm core. Screws to a bench. The spool can be aligned parallel with or at angles oblique to the edge. Metal with plastic spool. Weight 145g.



Applies paper to adhesive surfaces for easy opening.

VH4700

Easier opening. A single action seals the bag and applies paper to exposed adhesive surfaces. Uses 9mm wide PVC tape up to 120mm O.D. on 76mm core, and 9mm wide paper

roll up to 75mm O.D. on 25mm core. Maximum twisted neck diameter 12mm. Metal with gloss finish. Weight 1.02kg.

## VH2200

200mm of tape is dispensed adhesive side up on which a bundle of cables, produce etc., is rolled. The tape is drawn across the serrated cutter leaving another 200mm length ready. Metal with 18mm thick solid metal base and plastic spool. Takes tapes up to 50mm wide and 150mm O.D. on 76mm core. Weight 3.25kg.



The tape, dispensed adhesive side out, adheres naturally when touched. As the bundle of produce, wire, rods etc., is rolled and the tape cut, a flap smooths the end down. Uses tape 25mm wide and 190mm O.D. on 76mm core. Metal with bench clamp and plastic spool. Weight 665g.



Easy plier action with coil spring return. The magazine holds one slug of 16mm staples (approx. 50), Seals net bags, joins wire netting, secures vines. Weight 370g. Also VHTG18 18mm and VHTG20 20mm. Uses Ventar VR16, VR18 and VR20 omega shaped staples.



## TIEMATIC -

Uses 914 metre rolls of Ventural plastic coated wire ribbon. Cuts a 75mm length and twists it around the necks of bags at up to 30 bags per minute. Choice of jaws to suit bag neck diameters 9mm (3/8") and 16mm (5/8"). Also 16mm double twist. Weight 7.20kg.



Uses nylon pins to attach swing tickets and labels to garments and other products. Includes standard needle. Optional heavy duty needle. Weight 100g.



Similar to Mk4 (left) but bigger and sturdier with longer nozzle. Includes standard needle. Optional heavy duty needle. Weight 105g.



TAGGING PINS

STANDARD: 20, 25, 35, 50, 60, 65, 75 and 150mm long. FINE: 20mm and 50mm long. CIRCLE: 35mm long with 9mm I.D. circle. HOOK: 35mm long with 9mm I.D. hook. DOUBLE PIN: 65mm long.

## PACKING TABLES



The 2600mm x 800mm x 25mm thick laminated wooden tabletop with rubber edging adjusts from 800mm to 900mm high. Welded steel with powder finish, 1600mm x 200mm x 700mm tool box, lockable drawer, two roll holders, two metal shelves and 40mm square legs with levelling feet. Load capacity to 300kg.



Welded 25mm square section steel with roller cutter. Available in 1000mm and 1500mm widths each on lockable castors. The single spindle can be used for multiple rolls. For example, one roll of bubble pack and one roll of brown kraft paper.

# TAPES



More than 100 types for packaging, carton sealing, strapping, bundling, binding, joining, mending, bag neck sealing, insulating, sound suppressing, warning, water sealing, lane marking, highlighting, masking and lithographics including CELLULOSE, DOUBLE SIDED, SELF ADHESIVE PP and PVC, WATER ACTIVATED, ELECTRICAL, ALUMINIUM FOIL, DUCTING, CLOTH, HOOK AND LOOP, FOAM.



## COUNTER ROLL HOLDER

Heavy cast iron supports, steel guide bar with aluminium straight tear edge, wooden dowel spindle and timber base. Tear edge screws on and off for easy replacement. Maximum roll O.D. 260mm (subject to weight) . Available in 460mm, 610mm, 760mm, 910mm, 1140mm and 1520mm widths.

## ROLL HOLDER

ROLL HOLDERS

Steel ends, aluminium spindle and cross members. Straight tear edge. Sizes 300mm\*, 460mm, 500mm, 600mm and 800mm\* wide. "Also available with toothed blade for cutting filmic materials. Maximum roli O.D. 300mm (subject to weight). Illustrated with **Venus** metallised gift wrap and optional 4 roll ribbon holder.

555 Church Street, Richmond, Vic. 3121, Melbourne, Australia. Phone: (03) 9428 1652. Fax No: (03) 9429 5506, (03) 9429 5110, (03) 9428 7995.